

NOTES:

1. DRAWING NOT TO SCALE.
2. A ROAD CLOSURE TRAFFIC MANAGEMENT SYSTEM WILL BE IN PLACE.
3. ALL TRAFFIC SIGNS TO BE REFLECTIVE AND IN ACCORDANCE WITH CHAPTER 8.
4. ALL TRAFFIC CONES SHALL CONFORM TO BE EN13422:2004 AND HAVE A REFLECTIVE SLEEVE.
5. EXACT SIGN POSITION WILL BE AGREED ON SITE.
6. THIS PLAN MAY ONLY BE IMPLEMENTED BY A QUALIFIED CSCS SLG OPERATIVE.
7. PEDESTRIAN BARRIERS TO BE ERECTED ALONG WORKS TO PREVENTS PUBLIC ACCESS TO WORK SITE.
8. WORKS TO BE CARRIED OUT IN ACCORDANCE WITH ALL RELEVANT AUTHORITIES AND CONTRACT REQUIREMENTS.

LEGEND:

- WORKS ZONE
- DIVERSION ROUTE

DESIGN PARAMETERS

ROAD CLASSIFICATION	LEVEL 1 (iii)	LEVEL 2 (i)
ROADWORKS TYPE	A	A
SPEED LIMIT (km/h)	50	80

ROAD CLASSIFICATION

	LEVEL 1 (iii)	LEVEL 2 (i)
No OF SIGNS	2	4
CUMULATIVE DISTANCE (m)	40	480
DISTANCE BETWEEN ADVANCE SIGNS (m)	20	120
MINIMUM CLEAR VISIBILITY OF SIGNS (m)	50	90
SIZE OF ROAD WARNING SIGNS (m)	600x600	600x600
SIZE OF CIRCULAR WARNING SIGN (m)	600dia	600dia

ROAD CLASSIFICATION

	LEVEL 1 (iii)	LEVEL 2 (i)
LENGHT OF WORKS (m)	200	300
MINIMUM LANE WIDTH (m)	3	3
LONGITUDINAL SAFETY ZONE (m)	5	45
LATERAL SAFETY ZONE (m)	0.5	1.2

CONE SPACING

	LEVEL 1 (iii)	LEVEL 2 (i)
AT TAPER (m)	3	3
LONGITUDINAL (m)	3	12
MINIMUM CONE HEIGHT (mm)	750	750

MINIMUM RATE OF TAPER

	LEVEL 1 (iii)	LEVEL 2 (i)
TAPER AT LANE (m)	1 in 5	1 in 40
TAPER AT HARD SHOULDER (m)	1 in 5	1 in 40

REV	DATE	DESCRIPTION	DRN	CHK	APP
000	17/01/2025	INITIAL RELEASE	MS	JB	-



Client: UISCE EIREANN	Project No.: 026
Project Title: WATER NETWORK MANAGEMENT	Drg No.: 001
Drawing Title: TMP001 - ROAD CLOSURE SROOHIL, ENNISTYMON, CO. CLARE	Revision: 0
	Scale: NTS

